

**Minutes of Pre Bid Meeting
For Installation of community water purification plants for drinking water
Supply on Dated 26.05.2012**

A pre bid meeting for Installation of community water purification plants for drinking water Supply was held on dated 26.05.2012 at 3.00 PM in Conference hall of EPCO.

Following members were present in the meeting:-

1. Shri Sharad K. Jain, Director (Planning), EPCO, Bhopal
2. Shri Ambrish Shrivastava (Trg. & Adm.) EPCO, Bhopal
3. Shri Anoop Shrivastava, Structural Engineer, EPCO, Bhopal
4. Dr. Sanjeev Sachdev, SRO & Incharge ,Consultancy Cell, EPCO, Bhopal

The meeting was attended by representatives of following firms:-

1. Mr. Kuldeep Dhar, M/s Doshion Veolia Water Solution, Ahmedabad
2. Mr. Vikas Tiwari, M/s Doshion Veolia Water Solution, Ahmedabad
3. Mr. Ajay Rampal, M/s Eureka Forbes Pvt. Ltd Bhopal
4. Mr. Gagan Oberoi, M/s Eureka Forbes Pvt. Ltd Bhopal
5. Mr. Kailash Lohiya, M/s Hitech Sweet Water Tech Pvt. Ltd. Surat
6. Mr Rajesh Joshi, M/s Hitech Sweet Water Tech Pvt. Ltd. Surat

Following points were clarified in meeting:-

1. The word BIS and quality parameters of BIS mentioned in tender document stands deleted. Only IS: 10500-2004 shall be considered.
2. The Performance Security Deposit of Rs. 2.0 lakhs per plant as in the form of Bank Guarantee/demand draft/ Term deposit receipt pledged in the name of EPCO shall be deposited by the successful bidder before the release of first installment of subsidy after 3 months of commissioning of plant.
3. The Performance Security Deposit will include the amount of operational and maintenance guarantee. Hence, separate amount of operational and maintenance guarantee mentioned in Point No. 17 stands deleted
4. The above clarifications shall be uploaded on the EPCO website and copies will be sent to all those present in meeting. All potential bidders who may have sent an email or query will also be informed. If any bidder has downloaded the tender document or bought it from EPCO office, he shall also be informed.

The RFP & the agreement shall accordingly stand modified.